

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20070016909".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L2	2	"20020198874".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L3	2	(embedd\$4 with xpath with query) same (mark \$1up near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L4	36	quer\$4 with (transform or augment or modify \$4) with ((mark\$1up or markup or mark near3 up) near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L5	1472	((transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L6	9	((transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language) and (query with variables)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L7	1	"20070016909".pn. and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L8	0	((render\$4 near3 content) with (unresolv \$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15

L9	0	(render\$4 near3 content) same (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L10	2	(render\$4 near3 content) and (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L11	46	(render\$4 near3 (engine or component or feature or element)) and (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L12	0	(render\$4 near3 (engine or component or feature or element)) same (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L13	5	render\$4 with (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L14	64	((variable near3 resolution) and (render\$4 near3 content))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L15	46	((variable near3 resolution) and (render\$4 near3 content) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L16	0	embed\$4 with (query or queries) with (WML near3 document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L17	0	embed\$4 with (query or queries) with ((WML near3 document) or wml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15

L18	129	((query or queries) with ((WML near3 document) or wml))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L19	6	((query or query) with (embed\$4 or insert\$4 or within) with ((mark \$1up or (markup) or (mark near3 up)) near3 language)) and WML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/19 21:15
L20	7	(display\$4 or render\$4) near3 xpath near3 quer \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/19 21:15
L21	7	(display\$4 or render\$4) near3 xpath near3 quer \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L22	1000	xpath near3 quer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L23	408	(xpath near3 quer\$4) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L24	592	L22 not L23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L25	1496	xpath near3 expressions	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L26	1529	(xpath) and ((mobile near3 device) or (hand \$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15

L27	1	((quer\$\$ or search\$4) near3 resolution) with xpath	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L28	3827	(xpath)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L29	34	(xpath) and (query\$4 near3 resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L30	19	(xpath) and (replac\$4 with query\$4 with results)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L31	27	(xpath) and ((substitut \$4 or overwrit\$4 or replac\$4) with query\$4 with results)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L32	949	(process\$4 or render\$4 or resolv\$4) same (xpath near3 (query or expression))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L33	533	(process\$4 or render\$4 or resolv\$4) with (xpath near3 (query or expression))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L34	6	(xpath) and ((variable or argument) near3 resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L35	2	"6766330".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L36	0	"6766330".pn. and (delimiting near3 token)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15

L37	0	"6766330".pn. and (delimit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L38	0	"6766330".pn. and token	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L39	0	"6766330".pn. and html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L40	2	"6766330".pn. and xml	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L41	1	"6766330".pn. and (mark\$up near3 language)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/19 21:15
L42	1	"6766330".pn. and (mark\$up near3 language)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L43	45	darno.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L44	0	"6766330".pn. and hierarch\$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L45	0	"6766330".pn. and hier \$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L46	1	"6766330".pn. and tree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15

L47	1	"6766330".pn. and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L48	0	"6766330".pn. and (handheld or mobile or portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L49	4252	(handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L50	0	((handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML) and "20000101".AD.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L51	75	((handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML) and xpath	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L52	1	"20020032706".pn. and WML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L53	1	"6766330".pn. and node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L54	6656956	"6766330".pn. and creat \$4 or add\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L55	1	"6766330".pn. and (reat \$4 or add\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L56	1220	(707/758).CQLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/05/19 21:15
L57	1038	(707/803).CQLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/05/19 21:15
L58	14202	(707/999.003).CQLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/05/19 21:15

L59	8743	((707/999.1).CQL.S.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/05/19 21:15
L60	1472	((transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L61	2	L56 and L60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/19 21:15
L62	6	((query or query) with (embed\$4 or insert\$4 or within) with ((mark \$1up or (markup) or (mark near3 up)) near3 language)) and WML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/19 21:15
L63	0	L56 and L62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/19 21:15
L64	408	((xpath near3 quer\$4) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L65	5	L56 and L64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/19 21:15
L66	2	L56 and L60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/19 21:15
L67	0	L56 and L62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L68	5	L56 and L64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15

L69	10	L57 and L60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L70	0	L57 and L62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L71	8	L57 and L64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L72	35	L58 and L60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L73	0	L58 and L62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L74	49	L58 and L64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L75	10	L57 and L60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L76	0	L57 and L62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L77	8	L57 and L64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L78	2	"20070016909".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15

L79	2	"20020198874".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L80	2	(embedd\$4 with xpath with query) same (mark \$1up near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L81	36	quer\$4 with (transform or augment or modify \$4) with ((mark\$1up or markup or mark near3 up) near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L82	1472	((transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L83	9	((transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language) and (query with variables)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L84	1	"20070016909".pn. and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L85	0	(render\$4 near3 content) with (unresolv \$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L86	0	(render\$4 near3 content) same (unresolv \$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L87	2	(render\$4 near3 content) and (unresolv \$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L88	46	(render\$4 near3 (engine or component or feature or element)) and (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15

L89	0	(render\$4 near3 (engine or component or feature or element)) same (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L90	5	render\$4 with (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L91	64	(variable near3 resolution) and (render\$4 near3 content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L92	46	(variable near3 resolution) and (render\$4 near3 content) and ((mobile near3 device) or (hand\$1held or (hand near3 held) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L93	0	embed\$4 with (query or queries) with (WML near3 document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L94	0	embed\$4 with (query or queries) with ((WML near3 document) or wml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L95	129	(query or queries) with ((WML near3 document) or wml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L96	6	((query or query) with (embed\$4 or insert\$4 or within) with ((mark\$1up or (markup) or (mark near3 up)) near3 (language)) and WML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/19 21:15
L97	7	(display\$4 or render\$4) near3 xpath near3 quer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/19 21:15

L98	7	(display\$4 or render\$4) near3 xpath near3 quer \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L99	1000	xpath near3 quer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L100	408	((xpath near3 quer\$4) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L101	592	L99 not L100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L102	1496	xpath near3 expressions	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L103	1529	((xpath) and ((mobile near3 device) or (hand \$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L104	1	((quer\$\$ or search\$4) near3 resolution) with xpath	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L105	3827	((xpath)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L106	34	((xpath) and (query\$4 near3 resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15

L107	19	(xpath) and (replac\$4 with query\$4 with results)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L108	27	(xpath) and ((substitut\$4 or overwrit\$4 or replac\$4) with query\$4 with results)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L109	949	(process\$4 or render\$4 or resolv\$4) same (xpath near3 (query or expression))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L110	533	(process\$4 or render\$4 or resolv\$4) with (xpath near3 (query or expression))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L111	6	(xpath) and ((variable or argument) near3 resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L112	2	"6766330".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L113	0	"6766330".pn. and (delimiting near3 token)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L114	0	"6766330".pn. and (delimit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L115	0	"6766330".pn. and token	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L116	0	"6766330".pn. and html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15

L117	2	"6766330".pn. and xml	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L118	1	"6766330".pn. and (mark\$up near3 language)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/19 21:15
L119	1	"6766330".pn. and (mark\$up near3 language)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L120	45	darno.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L121	0	"6766330".pn. and hierarch\$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L122	0	"6766330".pn. and hier \$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L123	1	"6766330".pn. and tree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L124	1	"6766330".pn. and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L125	0	"6766330".pn. and (handheld or mobile or portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L126	4252	(handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15

L127	0	((handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML) and "20000101".AD.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L128	75	((handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML) and xpath	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L129	1	"20020032706".pn. and WML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L130	1	"6766330".pn. and node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L131	6656956	"6766330".pn. and creat \$4 or add\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L132	1	"6766330".pn. and (reat \$4 or add\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L133	1220	(707/758).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/05/19 21:15
L134	1038	(707/803).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/05/19 21:15
L135	14202	(707/999.003).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/05/19 21:15
L136	8743	(707/999.1).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/05/19 21:15
L137	1472	(transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L138	2	L133 and L137	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/19 21:15

L139	6	((query or query) with (embed\$4 or insert\$4 or within) with ((mark \$1up or (markup) or (mark near3 up)) near3 language)) and WML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/19 21:15
L140	0	L133 and L139	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/19 21:15
L141	408	(xpath near3 quer\$4) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L142	5	L133 and L141	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/19 21:15
L143	2	L133 and L137	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/19 21:15
L144	0	L133 and L139	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L145	5	L133 and L141	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L146	10	L134 and L137	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L147	0	L134 and L139	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15

L148	8	L134 and L141	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L149	35	L135 and L137	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L150	0	L135 and L139	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L151	49	L135 and L141	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L152	10	L134 and L137	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L153	0	L134 and L139	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L154	8	L134 and L141	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:15
L155	402	(query\$4 or (search\$4) or inquiry\$4) with (associat\$4 or correlat \$4 or map\$4 or associat \$4) with ((mark\$1up) near3 language)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:23
L156	0	(mark\$1up near3 language) with (variable near3 resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:23
L157	0	(mark\$1up near3 language) same (variable near3 resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:23

L158	190	(mark\$1 up near3 language) and (variable near3 resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:24
L159	2	L155 and L158	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:24
L160	1	(substit\$4 or plug\$4 or replac\$4 or insert\$4) with (variable or placeholder or (place near3 holder)) with (query) with ((generat\$4 or compil\$4 or creat\$4) near3 ((two or additional or more) near3 quer\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:28
L161	11	("7472112").URPN.	USPAT	OR	OFF	2011/05/19 21:29
L162	6	(substit\$4 or plug\$4 or replac\$4 or insert\$4) same (variable or placeholder or (place near3 holder)) same (query) same ((generat\$4 or compil\$4 or creat\$4) near3 ((two or additional or more) near3 quer\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:31
L163	0	L162 and L159	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:31
L164	0	L162 and L158	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:31
L165	0	L162 and L155	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:31

L166	0	(dynamic\$5 near3 (render\$4 or process\$4 or manipul\$4 or display\$4 or reproduc\$4 or output\$4)) with (quer\$4) with ((render\$4 or process\$4 or manipul\$4 or display\$4 or reproduc\$4 or output\$4) near3 (mark\$4up near3 language))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:41
L167	3	(dynamic\$5 near3 (render\$4 or process\$4 or manipul\$4 or display\$4 or reproduc\$4 or output\$4)) same (quer\$4) same ((render\$4 or process\$4 or manipul\$4 or display\$4 or reproduc\$4 or output\$4) near3 (mark\$4up near3 language))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:41
L168	146	((((render\$4 or process\$4 or manipul\$4 or display\$4 or reproduc\$4 or output\$4)) near3 (quer\$4)) same ((render\$4 or process\$4 or manipul\$4 or display\$4 or reproduc\$4 or output\$4) near3 (mark\$4up near3 language))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:42
L169	5	L168 and L155	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:42
L170	1	L168 and L155 and L158	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:43
L171	2	"20020198874".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:47
L172	2	"20020016909".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:49

L173	2	"20030197719".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:49
L174	2	"7089249".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:50
L175	2	"20020133412".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/19 21:51
S1	2	"20070016909".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 21:41
S2	2	"20020198874".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 21:52
S4	1	(embedd\$4 with xpath with query) same (mark \$1up near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/07 17:10
S5	20	quer\$4 with (transform or augment or modify \$4) with ((mark\$1up or markup or mark near3 up) near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/07 17:11
S6	920	((transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/07 17:17
S7	3	((transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language) and (query with variables)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/07 17:17
S8	1	"20070016909".pn. and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/07 18:11

S9	0	(render\$4 near3 content) with (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:27
S10	0	(render\$4 near3 content) same (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:30
S11	2	(render\$4 near3 content) and (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:30
S12	44	(render\$4 near3 (engine or component or feature or element)) and (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:30
S13	0	(render\$4 near3 (engine or component or feature or element)) same (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:30
S14	1	render\$4 with (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:32
S15	52	(variable near3 resolution) and (render\$4 near3 content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:33
S16	38	(variable near3 resolution) and (render\$4 near3 content) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:36
S17	0	embed\$4 with (query or queries) with (WML near3 document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:37

S18	0	embed\$4 with (query or queries) with ((WML near3 document) or wml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:38
S19	112	(query or queries) with ((WML near3 document) or wml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:38
S20	5	((query or query) with (embed\$4 or insert\$4 or within) with ((mark \$1up or (markup) or (mark near3 up)) near3 language)) and WML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/24 13:40
S21	5	(display\$4 or render\$4) near3 xpath near3 quer \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/24 13:50
S22	5	(display\$4 or render\$4) near3 xpath near3 quer \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:50
S23	833	xpath near3 quer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:51
S24	347	(xpath near3 quer\$4) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 13:51
S25	486	S23 not S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 14:53
S26	1226	xpath near3 expressions	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:16

S27	1266	(xpath) and ((mobile near3 device) or (hand \$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:16
S28	1	((quer\$\$ or search\$4) near3 resolution) with xpath	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:19
S29	3138	(xpath)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:20
S30	28	(xpath) and (query\$4 near3 resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:20
S31	17	(xpath) and (replac\$4 with query\$4 with results)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:23
S32	24	(xpath) and ((substitut \$4 or overwrit\$4 or replac\$4) with query\$4 with results)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:25
S33	788	(process\$4 or render\$4 or resolv\$4) same (xpath near3 (query or expression))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:27
S34	439	(process\$4 or render\$4 or resolv\$4) with (xpath near3 (query or expression))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:27
S35	5	(xpath) and ((variable or argument) near3 resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:29
S36	2	"6766330".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:32

S37	0	"6766330".pn. and (delimiting near3 token)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:32
S38	0	"6766330".pn. and (delimit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:32
S39	0	"6766330".pn. and token	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:32
S40	0	"6766330".pn. and html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:38
S41	2	"6766330".pn. and xml	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/24 15:38
S44	1	"6766330".pn. and (mark\$up near3 language)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/26 02:10
S45	1	"6766330".pn. and (mark\$up near3 language)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 02:10
S46	33	darno.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 02:23
S47	0	"6766330".pn. and hierarch\$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 04:24
S48	0	"6766330".pn. and hier \$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 04:24

S49	1	"6766330".pn. and tree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 04:24
S50	1	"6766330".pn. and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 04:52
S51	0	"6766330".pn. and (handheld or mobile or portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 04:55
S52	3737	(handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 04:55
S53	0	((handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML) and "20000101".AD.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 05:00
S54	69	((handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML) and xpath	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 05:01
S55	1	"20020032706".pn. and WML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 05:17
S56	1	"6766330".pn. and node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 05:47
S57	6153078	"6766330".pn. and creat \$4 or add\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 06:06
S58	1	"6766330".pn. and (reat \$4 or add\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 06:07
S59	439	(707/758).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/03/26 07:10

S60	205	(707/803).CQLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/03/26 07:10
S61	10444	(707/999.003).CQLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/03/26 07:10
S62	5780	(707/999.1).CQLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/03/26 07:10
S63	1258	((transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:12
S64	0	S59 and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/26 07:12
S65	5	((query or query) with (embed\$4 or insert\$4 or within) with ((mark \$1up or (markup) or (mark near3 up)) near3 language)) and WML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/26 07:12
S66	0	S59 and S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/26 07:12
S67	347	(xpath near3 quer\$4) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:12
S68	0	S59 and S67	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/26 07:12
S69	0	S59 and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/26 07:12
S70	0	S59 and S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:13

S71	0	S59 and S67	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:13
S72	0	S60 and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:13
S73	0	S60 and S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:13
S74	2	S60 and S67	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:13
S75	29	S61 and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:14
S76	0	S61 and S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:14
S77	40	S61 and S67	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:14
S78	0	S60 and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:14
S79	0	S60 and S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:14
S80	2	S60 and S67	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/26 07:14

S81	2	"20070016909".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S82	2	"20020198874".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S83	2	(embedd\$4 with xpath with query) same (mark \$1up near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S84	36	quer\$4 with (transform or augment or modify \$4) with ((mark\$1up or markup or mark near3 up) near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S85	1471	(transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S86	9	(transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language) and (query with variables)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S87	1	"20070016909".pn. and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S88	0	(render\$4 near3 content) with (unresolv \$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S89	0	(render\$4 near3 content) same (unresolv \$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S90	2	(render\$4 near3 content) and (unresolv \$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53

S91	46	(render\$4 near3 (engine or component or feature or element)) and (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S92	0	(render\$4 near3 (engine or component or feature or element)) same (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S93	5	render\$4 with (unresolv\$4 near3 (expression or variable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S94	64	(variable near3 resolution) and (render\$4 near3 content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S95	46	(variable near3 resolution) and (render\$4 near3 content) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S96	0	embed\$4 with (query or queries) with (WML near3 document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S97	0	embed\$4 with (query or queries) with ((WML near3 document) or wml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S98	129	(query or queries) with ((WML near3 document) or wml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S99	6	((query or query) with (embed\$4 or insert\$4 or within) with ((mark\$1up or (markup) or (mark near3 up)) near3 language)) and WML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/17 20:53

S100	7	(display\$4 or render\$4) near3 xpath near3 quer \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/17 20:53
S101	7	(display\$4 or render\$4) near3 xpath near3 quer \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S102	999	xpath near3 quer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S103	408	(xpath near3 quer\$4) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S104	591	S102 not S103	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S105	1494	xpath near3 expressions	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S106	1528	(xpath) and ((mobile near3 device) or (hand \$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S107	1	((quer\$\$ or search\$4) near3 resolution) with xpath	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S108	3822	(xpath)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53

S109	34	(xpath) and (query\$4 near3 resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S110	19	(xpath) and (replac\$4 with query\$4 with results)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S111	27	(xpath) and ((substitut\$4 or overwrit\$4 or replac\$4) with query\$4 with results)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S112	948	((process\$4 or render\$4 or resolv\$4) same (xpath near3 (query or expression)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S113	533	((process\$4 or render\$4 or resolv\$4) with (xpath near3 (query or expression)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S114	6	(xpath) and ((variable or argument) near3 resolution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S115	2	"6766330".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S116	0	"6766330".pn. and (delimiting near3 token)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S117	0	"6766330".pn. and (delimit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S118	0	"6766330".pn. and token	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53

S119	0	"6766330".pn. and html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S120	2	"6766330".pn. and xml	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S121	1	"6766330".pn. and (mark\$up near3 language)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/17 20:53
S122	1	"6766330".pn. and (mark\$up near3 language)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S123	45	darno.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S124	0	"6766330".pn. and hierarch\$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S125	0	"6766330".pn. and hier \$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S126	1	"6766330".pn. and tree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S127	1	"6766330".pn. and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S128	0	"6766330".pn. and (handheld or mobile or portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53

S129	4249	((handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S130	0	((handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML) and "20000101".AD.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S131	75	((handheld or mobile or portable or (cell near3 phone) or cell\$1phone or pda) same WML) and xpath	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S132	1	"20020032706".pn. and WML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S133	1	"6766330".pn. and node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S134	6653384	"6766330".pn. and creat \$4 or add\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S135	1	"6766330".pn. and (reat \$4 or add\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S136	1218	((707/758).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/05/17 20:53
S137	1032	((707/803).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/05/17 20:53
S138	14202	((707/999.003).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/05/17 20:53
S139	8743	((707/999.1).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/05/17 20:53
S140	1471	((transform or augment or modify\$4) with ((mark\$1up or markup or mark near3 up) near3 language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53

S141	2	S136 and S140	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/17 20:53
S142	6	((query or query) with (embed\$4 or insert\$4 or within) with ((mark \$1up or (markup) or (mark near3 up)) near3 language)) and WML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/17 20:53
S143	0	S136 and S142	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/17 20:53
S144	408	(xpath near3 quer\$4) and ((mobile near3 device) or (hand\$1held or (hand near3 held)) or ((cell or cellular) near3 (telephone or phone)) or cell\$1phone or pda)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S145	5	S136 and S144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/17 20:53
S146	2	S136 and S140	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/05/17 20:53
S147	0	S136 and S142	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S148	5	S136 and S144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S149	9	S137 and S140	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53

S150	0	S137 and S142	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S151	8	S137 and S144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S152	35	S138 and S140	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S153	0	S138 and S142	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S154	49	S138 and S144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S155	9	S137 and S140	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S156	0	S137 and S142	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53
S157	8	S137 and S144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/17 20:53

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L176	413	(707/759).CQLS	US-PGPUB; USPAT; UPAD	OR	OFF	2011/05/19 22:38
L177	1038	(707/803).CQLS	US-PGPUB; USPAT; UPAD	OR	OFF	2011/05/19 22:38

L178	7786	(707/999.001).CQLS.	US-PGPUB; USPAT; UPAD	OR	OFF	2011/05/19 22:38
L179	14182	(707/999.003).CQLS.	US-PGPUB; USPAT; UPAD	OR	OFF	2011/05/19 22:38
L180	9009	(707/999.102).CQLS.	US-PGPUB; USPAT; UPAD	OR	OFF	2011/05/19 22:38
L181	541	(715/239).CQLS.	US-PGPUB; USPAT; UPAD	OR	OFF	2011/05/19 22:38
L183	29498	L176 or L177 or L178 or L179 or L180	US-PGPUB; USPAT; UPAD	OR	ON	2011/05/19 22:39
L184	0	(access\$4 with (data near3 set) with (generat \$4 near3 resolution) with query with (resolv\$4 near5 variables)).dlm.	US-PGPUB; USPAT; UPAD	OR	ON	2011/05/19 22:40
L185	0	L184 and L183	US-PGPUB; USPAT; UPAD	OR	ON	2011/05/19 22:41
L186	1	(substitut\$4 with (variable near3 value\$4) with (query\$4 with generat\$)).dlm.	US-PGPUB; USPAT; UPAD	OR	ON	2011/05/19 22:41
L187	1	L186 and L183	US-PGPUB; USPAT; UPAD	OR	ON	2011/05/19 22:44
L188	0	(dynamic\$5 with render \$4 with (resolution near9 quer\$4) with (mark\$1up near3 language) with (rule near5 associat9 with (tag))).dlm.	US-PGPUB; USPAT; UPAD	OR	ON	2011/05/19 22:46
L189	0	L188 and L183	US-PGPUB; USPAT; UPAD	OR	ON	2011/05/19 22:46

5/ 19/ 2011 10:47:23 PM

C:\Documents and Settings\pdarno\My Documents\EAST\Workspaces\ App No - 09788311
\search06-07-2008.wsp